EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	(US-20050055606-$ or US-20040083276-$).did. or (US-6463456-$ or US-6502088-$ or US-5884327-$ or US-6377959-$ or US-6321374-$ or US-5151987-$ or US-4878167-$ or US-5774479-$ or US-5889772-$ or US-4807224-$ or US-5440545-$ or US-6535997-$ or US-6199055-$ or US-6247012-$ or US-5842224-$ or US-6965571-$). did. or (US-20050198638-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/05/10 15:09
L2	11	L1 and delet$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 15:09
L3	4	L1 and delet$3 with trans$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 15:10
L4	54	error with retransmission with already	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 15:42
L5	0	error with retransmission with recieved	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 15:41
S1	26	"659453"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:08
S2	15	("4,878,167" "5,151,987" "5,884,327" "6,321,374" "6,377,959" "6,463,456" "6,502,088").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 10:41
S3	10046	(retry or restart) with step	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 11:16

EAST Search History

S4	1690	(retry or restart) with step with (error or fail$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 11:15
S5	896	(714/15).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 11:06
S6	22	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 11:06
S7	1690	S4 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 11:06
S8	71	S5 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 11:07
S9	2583	(retry or restart) with (state or step) with (error or fail$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 11:15
S10	42	S5 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 11:16
S11	16899	(retry or restart) with (state or step)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:59
S15	150	S5 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 15:09
S16	538	(retry or restart) with (initial) with (state or step)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 15:10

S17	11	S5 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 13:00
S18	1264	(retry or restart) same (initial) with (state or step)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 13:05
S19	19	S18 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 13:05
S20	8	S19 not S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 13:05
S21	8	S19 not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 13:06
S22	619	(retry or restart) with transfer with (state or step)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 15:10
S23	635	(retry or restart) with transfer with (fail$3 or error or fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 15:10
S24	4	S22 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 15:11
S25	11	S23 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 15:11
S26	13	S24 or S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 15:11

S27	619	(retry or restart) with transfer with (state or step)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 09:55
S28	635	(retry or restart) with transfer with (fail$3 or error or fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 09:56
S29	21	S27 same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 09:56
S30	31	S28 same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 09:56
S31	46	S29 or S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 11:00
S32	1	"recovery state" with (fault or fail$3) with transfer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 11:01
S33	14	"recovery state" with (fault or fail$3) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 11:45
S34	25571	retransmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:35
S35	111	(retransmission with fail$3) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:55
S36	81	(retransmit with fail$3) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:56

S37	111	(retransmission with fail$3) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:56
S38	61	S36 not S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 17:14
S39	3124	monitor$3 with transmi$6 with fail$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 17:25
S40	221	(714/749).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 17:15
S41	645	(714/748).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 17:16
S42	1	S39 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 17:16
S43	800	S40 or S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 17:16
S44	5	S43 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 17:16
S45	11	("5231634" | "5440545" | "5555266" | "5560021" | "5654968").PN. OR ("5889772").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/25 17:22

S46	80	("3387268" | "3587044" | "4276594" | "4317957" | "4325120" | "4354225" | "4418384" | "4454508" | "4459588" | "4538147" | "4569015" | "4569042" | "4587650" | "4617657" | "4644542" | "4661952" | "4663748" | "4725834").PN. OR ("4807224"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/25 17:23
S47	0	("2005/0125713").URPN.	USPAT	OR	ON	2006/04/25 17:23
S48	19	("3387268" | "3587044" | "4276594" | "4317957" | "4325120" | "4354225" | "4418384" | "4454508" | "4459588" | "4538147" | "4569015" | "4569042" | "4587650" | "4617657" | "4644542" | "4661952" | "4663748" | "4725834").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/25 17:24
S49	90	S45 or S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 17:25
S50	0	S49 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 17:25
S51	9	(monitor$3 with fail$3) and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 17:25
S52	19166	(frame or packet) with fail$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 18:00
S53	301	(frame or packet) with fail$3 with monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 18:05
S54	5	S53 same (retry or retransmi$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 18:05

EAST Search History

S55	1640	transmi$6 with fail$3 with monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 18:05
S56	12	S55 same (retry or retransmi$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 18:05
S57	11	S56 not S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:42
S58	4981	recover$3 near state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:42
S59	35134	recover$3 near2 (state or step)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:42
S60	1640	transmi$6 with fail$3 with monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:43
S61	38	S59 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:43
S62	2	S59 same S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 11:16
S63	17628	fail$3 with monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:43
S64	35134	recover$3 near2 (state or step)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:44

S65	27	S63 same S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 11:16
S66	11	"403781"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 11:09
S67	11	("5231634" | "5440545" | "5555266" | "5560021" | "5654968").PN. OR ("5889772").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/28 15:04
S68	1	"moveaway flag"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:46
S69	56	(((flag with arriv$3) or (flag with (depart$3 or leav$3))) with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:50
S70	703	atomic$3 near transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:16
S71	898	(714/15).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:17
S72	24	S70 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 13:21
S73	17	S70 with (flag or bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 11:25
S74	683	(resource with server) same (indicator or flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 13:22

S75	362	(resource with server) with (indicator or flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 13:40
S76	0	(resource with server) with (indicator or flag) with transmisson	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 13:40
S77	39.	(resource with server) with (indicator or flag) with transmi$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 13:54
S78	0	transmisson adj (flag or indicator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 13:54
S79	3187	transmi$6 adj (flag or indicator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 13:57
S80	898	(714/15).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 13:55
S81	1	S79 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 13:56
S82	1011	transmission adj (flag or indicator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:00
S83	0	S74 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 13:58
S84	24	S82 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 14:46

EAST Search History

S85	33	server with finished with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:01
S86	196	server with transmission with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:02
S87	13	server with transmission with flag with complet$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:04
S88	84	server with resource with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:05
S89	2	server with resource near flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:05
S90	2	server with resource with flag with traNSMISSION	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 15:06
S91	16	(US-20040083276-$ or US-20050055606-$).did. or (US-5884327-$ or US-6321374-$ or US-5440545-$ or US-6502088-$ or US-6463456-$ or US-6377959-$ or US-4807224-$ or US-5889772-$ or US-5151987-$ or US-4878167-$ or US-5774479-$ or US-6535997-$ or US-6199055-$).did. or (US-20050198638-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/05/08 17:26
S92	2	S91 and "error message"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 17:46
S93	11	S91 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 17:26

S94	1	S91 and skip$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 17:55
S95	7	S91 and atomic$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:11
S96	16	(US-20040083276-$ or US-20050055606-$).did. or (US-5884327-$ or US-6321374-$ or US-5440545-$ or US-6502088-$ or US-6463456-$ or US-6377959-$ or US-4807224-$ or US-5889772-$ or US-5151987-$ or US-4878167-$ or US-5774479-$ or US-6535997-$ or US-6199055-$).did. or (US-20050198638-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/05/09 09:13
S97	1	S96 and "directory server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:14
S98	898	(714/15).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:13
S99	5	S98 and "directory server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:17
S100	3289	"directory server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:14
S101	311	S100 with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:18
S102	18	(S100 with resource) same (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:25

EAST Search History

S10 3	4	S100 same atomic$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:29
S10 4	52	S100 same flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:29
S10 5	11	S100 with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 09:29
S10 6	14	("5530703" | "5606668" | "5614927" | "5740549" | "5774656" | "5842224" | "5884033").PN. OR ("6247012").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/09 10:28
S10 7	3034	"data field" with (error or fail$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 15:16
S10 8	898	(714/15).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 15:17
S10 9	5	S107 and S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 15:17
S11 0	58	retransmission with skip$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 17:16
S11 1	12502	error with already	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 17:16
S11 2	2	S110 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 17:16

EAST Search History

S11 4	30	S108 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 17:19
S11 5	19	(US-20050055606-$ or US-20040083276-$).did. or (US-6463456-$ or US-6502088-$ or US-5884327-$ or US-6377959-$ or US-6321374-$ or US-5151987-$ or US-4878167-$ or US-5774479-$ or US-5889772-$ or US-4807224-$ or US-5440545-$ or US-6535997-$ or US-6199055-$ or US-6247012-$ or US-5842224-$ or US-6965571-$). did. or (US-20050198638-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/05/10 10:57
S11 7	671	"error message" with already	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 10:57
S11 8	28	"error message" with already with performed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 10:59
S11 9	0	S118 same transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 10:57
S12 0	25	S117 same transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 10:57
S12 1	10	"error message" with already with retr$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/10 11:00

CrossRef Search
publisher pilot for full-text scholarly research

MORE INFO

Fill in the CrossRef Search Pilot <u>Web Survey!</u>

Feedback: <u>crs@crossref.org</u>

---

step recovery synchronization   [**Search**]   **powered by** Google

Web   Results 1 - 10 of about **69,100** for **step recovery synchronization**. (0.24 seconds)

[PDF] <u>Synchronization and Recovery of Actions</u>
File Format: PDF/Adobe Acrobat
concerning the **synchronization** and **recovery**. needed to support actions. Section 2 begins our discussion ... collection of **steps** which reference simple data. ...
portal.acm.org/ft_gateway.cfm?id=1041494&
type=pdf&coll=GUIDE&dl=GUIDE&CFID=72275021&C...

[PDF] <u>Synchronization and recovery in a client-server storage system</u>
File Format: PDF/Adobe Acrobat
Synchronization and **recovery** in a client-server storage system ... **steps** followed during restart **recovery** are the following. 1. Get the. RestartLoc ...
portal.acm.org/ft_gateway.cfm?id=765557&
type=pdf&coll=GUIDE&dl=GUIDE&CFID=69921733&CF...

[PDF] <u>Synchronization and Recovery of Actions</u>
File Format: PDF/Adobe Acrobat
concerning the **synchronization** and **recovery**. needed to support actions. Section 2 begins our discussion ... collection of **steps** which reference simple data. ...
portal.acm.org/ft_gateway.cfm?id=806708&
type=pdf&coll=GUIDE&dl=GUIDE&CFID=72309341&CF...

[PDF] <u>A Survey of Techniques for Synchronization and Recovery in ...</u>
File Format: PDF/Adobe Acrobat
Survey of Techniques for **Synchronization** and **Recovery**. Transaction. **Step**. Action. 153. T1. 1. read. account A obtaining A Balance ...
portal.acm.org/ft_gateway.cfm?id=356845&
type=pdf&coll=Portal&dl=ACM&CFID=15151515&CFT...

[PDF] <u>Synchronization and Recovery of Actions</u>
File Format: PDF/Adobe Acrobat
concerning the **synchronization** and **recovery**. needed to support actions. Section 2 begins our discussion ... collection of **steps** which reference simple data. ...
portal.acm.org/ft_gateway.cfm?id=806708&
type=pdf&coll=GUIDE&dl=GUIDE&CFID=15151515&CF...

[PDF] <u>Fast and Transparent Recovery for Continuous Availability of ...</u>
File Format: PDF/Adobe Acrobat
dates which are needed for this **synchronization step** and invali- ... node **synchronization, recovery** actions performed exclusively by ...
portal.acm.org/affiliated/ft_gateway. cfm?
id=1123005&type=pdf&coll=portal&dl=acm

Self-stabilizing clock **synchronization** in the presence of ...

First, they expand the robustness of the **recovery** protocol, to function with up to
one-third of the ... and execute the **synchronization steps**, if necessary. ...
portal.acm.org/ citation.cfm?coll=GUIDE&dl=GUIDE&id=1017463

Breaking a secure communication scheme based on the phase ...

With this information we can adjust the value of in a few **steps**, ... CW Wu and LO Chua, "Secure
communication via chaotic **synchronization** II: Noise ...
link.aip.org/link/?CHAOEH/14/274/1

Phys. Rev. A 42, 5703 (1990): Tate et al. - Phase-sensitive above ...

In this paper we use the short-pulse length and temporal **synchronization** ... SRD is the step-
recovery diode, LF Amp is the low-frequency amplifier, ...
link.aps.org/doi/10.1103/PhysRevA.42.5703

Phys. Rev. Lett. 88, 014101 (2002): Tokuda et al. - Learning Phase ...

It is shown that our technique enables the **recovery** of the **synchronization** diagram
from only three data sets. In particular, this allows the estimate of the ...
link.aps.org/doi/10.1103/PhysRevLett.88.014101

step recovery synchronization   [Search]

Search within results | Search Tips

Try your query on the entire web